

Treston Dual LED Lighting

Treston’s dual intensity LED light (available with built in shield) features a High/Low/Off switch that allows the user to control the amount of light used. They can easily be attached to light balancer rails, shelves, and other surfaces. Optional magnetic mounting bracket for attaching the light fixture to a metal shelf allows for greater functionality and maneuverability.
LED light fixtures are a great addition to any workstation or workplace, where energy efficiency, durability, and longevity are important factors. LEDs boast a long life span, 10x longer than traditional florescent lamps, and use up to 90% less power than traditional lighting. Treston LED lights have a lifespan of up to 100,000 hours (11 1/2 years powered 24 hrs/day).

- High/Low/Off switch
- Daisy Chain up to 10 fixtures with 1 power source for a continuous length of lighting, with minimum wiring
- 10ft power cord included
- Operating voltage: 90 to 264 V ac (50 or 60 Hz), Power factor > 0.95 on high setting at 120 V ac
- Lumen output: 600 (±5%) per foot, typical at 25 °C (77 °F)
- Light color: Daylight white
- Color temperature (CCT): 5000K (±300K)
- UL approved, CE certified
- Light balancer rail hardware included. Optional magnetic mount for attachment to metal surfaces. Swivel bracket available for positioning light throughout workspace.

Treston's LED lights are now available with a built-in motion sensor! See products below.

Treston Dual LED Lighting (23)

Code	Product	ESD	Color temperature K	Illuminance lux	Lifetime hrs	Dimmable	Operating temperature F	Enclosure protection	Color name	Packaging type	Warranty years	Gross weight lbs	Available for the following products	Energy efficiency class	Availability USA
14-9500039	Task light bracket, accepts 1/2” pin style task lights	Yes									5				
14-9502172	Ultra-slim white magnifying lamp with 7 inch dia. precision	No	6000K		>50000	Yes					2				
14-9502173	Omega 5 Magnifier	No									2				
14-95035171	LED Light with built in skirt/shield, 22.44	Yes	5000K	1200	>50000		-13°F - 113°F	IP50			2		Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, Cornerstone Workbenches, FiFo Flow Rack, Basic Upright Frame, Concept Ergo workbench		
14-95035172	LED Light with built in skirt/shield, 33.46	Yes	5000K	1200			-13°F - 113°F	IP50			2		Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, Cornerstone Workbenches, FiFo Flow Rack, Basic Upright Frame, Concept Ergo workbench		
14-95035173	LED Light with built in skirt/shield, 44.48	Yes	5000K	1200			-13°F - 113°F	IP50			2		Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, Cornerstone Workbenches, FiFo Flow Rack, Basic Upright Frame, Concept Ergo workbench		

Code	Product	ESD	Color temperature K	Illuminance lux	Life time hrs	Dimmable	Operating temperature F	Enclosure protection	Color name	Packaging type	Warranty years	Gross weight lbs	Available for the following products	Energy efficiency class	Availability USA
14-95035174	LED Light with built in skirt/shield, 22.44", magnetic	Yes	5000K	1200			-13°F - 113°F	IP50			2		Utility Support Uprights, Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, TPB packing bench, Cornerstone Workbenches, FiFo Flow Rack, Basic Upright Frame, Concept Ergo workbench		
14-95035175	LED Light with built in skirt/shield, 33.46", magnetic	Yes	5000K	1200			-13°F - 113°F	IP50			2		Utility Support Uprights, Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, Cornerstone Workbenches, FiFo Flow Rack, TPB packing bench, Basic Upright Frame, Concept Ergo workbench		
14-95035176	LED Light with built in skirt/shield, 44.48", magnetic	Yes	5000K	1200	>50000		-13°F - 113°F	IP50			2		Utility Support Uprights, Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, Cornerstone Workbenches, FiFo Flow Rack, TPB packing bench, Basic Upright Frame, Concept Ergo workbench		
14-95035401	25.6"L LED light, built in shield, motion sensor, overhead		5000K	1200	>50000	No	-13°F - 113°F	IP50			2		Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, Cornerstone Workbenches, FiFo Flow Rack, Worksurface Mounted Uprights, Basic Upright Frame, Concept Ergo workbench		
14-95035402	36.7"L LED light, built in shield, motion sensor, overhead		5000K	1200	>50000	No	-13°F - 113°F	IP50			2		Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, Cornerstone Workbenches, FiFo Flow Rack, Worksurface Mounted Uprights, Basic Upright Frame, Concept Ergo workbench		
14-95035403	47.8"L LED light, built in shield, motion sensor, overhead		5000K	1200	>50000	No	-13°F - 113°F	IP50			2		Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, Cornerstone Workbenches, FiFo Flow Rack, Worksurface Mounted Uprights, Basic Upright Frame, Concept Ergo workbench		

Code	Product	ESD	Color temperature K	Illuminance lux	Life time hrs	Dimmable	Operating temperature F	Enclosure protection	Color name	Packaging type	Warranty years	Gross weight lbs	Available for the following products	Energy efficiency class	Availability USA
14-95035404	25.6"L LED light, built in shield, motion sensor, Magnetic		5000K	1200	>50000	No	-13°F - 113°F	IP50			2		Utility Support Uprights, Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, TPB packing bench, Cornerstone Workbenches, FiFo Flow Rack, Worksurface Mounted Uprights, Basic Upright Frame, Concept Ergo workbench		
14-95035405	36.7"L LED light, built in shield, motion sensor, Magnetic		5000K	1200	>50000	No	-13°F - 113°F	IP50			2		Utility Support Uprights, Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, TPB packing bench, Cornerstone Workbenches, FiFo Flow Rack, Worksurface Mounted Uprights, Basic Upright Frame, Concept Ergo workbench		
14-95035406	47.8"L LED light, built in shield, motion sensor, Magnetic		5000K	1200	>50000	No	-13°F - 113°F	IP50			2		Utility Support Uprights, Treston QuatreX electrical workbench , TP workbench, Treston Quick Edge Workstation , Treston Electric Desk TED, Cornerstone Workbenches, FiFo Flow Rack, Worksurface Mounted Uprights, TPB packing bench, Basic Upright Frame, Concept Ergo workbench		
QS-1022325	Workmaster under shelf light 36" LED	Yes							White		10	10	Workmaster Workbench		
QS-1022326	Workmaster under shelf light 48" LED	Yes							White		10	12	Workmaster Workbench		
QS-1022971-D	MTS Econo light assembly 48L SKY BLUE	No							Black		10	33	Workmaster Workbench		
QS-1022972-D	MTS Econo light assembly 60L SKY BLUE	No							Black		10	35	Workmaster Workbench		

Code	Product	ESD	Color temperature K	Illuminance lux	Life time hrs	Dimmable	Operating temperature F	Enclosure protection	Color name	Packaging type	Warranty years	Gross weight lbs	Available for the following products	Energy efficiency class	Availability USA
QS-1022973-D	MTS Econo light assembly 72L SKY BLUE	No							Black		10	40	Workmaster Workbench		
QS-1022975-D	MTS Econo light assembly 96L SKY BLUE	No							Black		10	48	Workmaster Workbench		
QS-2012302	Dimension 4 light assembly 60" W/8'CORD	No							Ivory		10	35	Dimension 4 Workstation		
QS-2012303	Dimension 4 light assembly 72" W/8'CORD	No							Ivory		10	42	Dimension 4 Workstation		