


Hooks and tool brackets

Our range includes over 50 different tool brackets and hooks for efficient and organized tool storage. All tool holders and hooks are easy to attach to perforated panels. With the help of perforated panels, you can easily integrate the tool holders and hooks into Treston's workbenches, carts, cabinets , industrial screens, and tool storage systems. By combining perforated panels with tool brackets and hooks, you can easily create wall-mounted tool storage.

- The most robust tool brackets and hooks can support up to 22 lbs.
- Most of the tool brackets and hooks are sold in packs of 5.
- Ready-made tool holder sets for various purposes are also available.

Ready-made hook sets help you to get started. Choose the most suitable hook set for your needs from the following possibilities:
Hook set 1: Basic light hook set
Hook set 2: Basic hook set for hand tools
Hook set 3: Hook set for perforated tool cabinet
Hook set 4: All inclusive set for hand tools
Hook set 5: Hook set for heavy tools in perforated tool cabinet

Hooks and tool brackets (63)

Code	Product	GTIN	Width inches	Depth inches	Height inches	Max load lbs	ESD	Suitable for clean-room	RAL code	Color name	Net Weight lbs	Pack-aging type	War-ranty years	Gross weight lbs	Available for the fol-lowing products	Frame mate-rial	Avail-ability USA
831433-51	R37 Hook 1.57" dia. (Each)	6410280143382				22	No	Yes			0		5	0	Perforated panels, Treston Tower storage and workstation unit	Galvanised steel	
831441-51	R37 Hook 2.36" dia. (Each)	6416763073597				22	No	Yes			0		5	0	Perforated panels	Galvanised steel	
831506-51	R16 Hook 1.81" L (Each)	6416763073566				22	No	Yes			0		5	0	Perforated panels	Galvanised steel	
831514-51	R16 hook, Accessory plate hook, .787" width	6416763073559				22	No	Yes			0		5	0	Perforated panels	Galvanised steel	
831603-51	R37 Hook 3.14" dia. (Each)	6410280160389				22	No	Yes			0		5	0	Perforated panels	Galvanised steel	
831654-49	R47 Hook 13.77" w x 4.72" d (Each)	6416763073627	14	5		9	Yes	Yes	RAL7035	Light grey	1		5	1	Perforated panels	Epoxy powder-coated steel	
831700-51	R24 Hook 2.55 L x .669" dia. (Each)	6410280170081				11	No	Yes			0		5	0	Perforated panels	Galvanised steel	
831719-51	R24 Hook 3.14 L x 1.02" dia. (Each)	6416763073382				11	No	Yes			0		5	0	Perforated panels	Galvanised steel	

Code	Product	GTIN	Width inches	Depth inches	Height inches	Max load lbs	ESD	Suitable forclean room	RAL code	Color name	Net Weight lbs	Pack aging type	War ranty years	Gross weight lbs	Available for the fol lowing products	Frame mate rial	Avail ability USA
831794-51	R46 Hook 4.40"W Holds 1- 4" Bin with Rear Lip (1 each)	6416763073603				11	No	Yes			0		5	0	Perforated panels	Galvanised steel	
832162-51	R33 Hook 3.54" dia. x 1.18" H (Each)	6416763073580				11	No	Yes			0		5	0	Perforated panels	Galvanised steel	
838357-51	R41 Box Wrench Set Holder 21.88" L (Each) Box wrench hold	6410280835782				11	No	Yes			1		5	1	Perforated panels	Galvanised steel	
838380-51	R48 Document/Brochure Holder w/ 2 - 8.5 x 11 compartments	6410280838080	9	8	15	11	No	Yes			1		5	2	Perforated panels	Galvanised steel	
838381-51	Hook, R-49, 11.81"L (Each) Rack for Screw Drivers	6416763094646	12	3	2	22	No				1		5	1		Galvanised steel	
838382-51	Hook R50, drill bit holder(32), 9.37" x 1.69" x 3.15", 4xØ3m	6416763097029	9	2	3	11	No				0		5	0		Galvanised steel	
838896-51	R26 hook 6.29" (Each) cord holder, 6.29in	6410280889686				11	No	Yes			1		5	1	Perforated panels, Treston Tower storage and workstation unit	Galvanised steel	
839086-51	R46 Hook 24.96"W Holds 6- 4" Bins w/ Rear Lip (1 each)	6416763073610				11	No	Yes			2		5	2	Perforated panels	Galvanised steel	

Code	Product	GTIN	Width inches	Depth inches	Height inches	Max load lbs	ESD	Suitable forclean room	RAL code	Color name	Net Weight lbs	Pack aging type	War ranty years	Gross weight lbs	Available for the fol lowing products	Frame mate rial	Avail ability USA
851843-00	Pick-up box with divider 149x85x48, red	6416763091119	6	3	2	0	No	Yes		Red	0		5	0	Perforated panels	Coloured polypropylene (PP)	
852167-51	R24 Hook 3.93 L x 1.65" dia. (Each)	6410280216789				11	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853207-51	R1 Hook 1.18" L x .118 dia. (Pack of 5)	6410280320783				22	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853208-51	R1 Hook 1.96" L x .157 dia. (Pack of 5)	6410280320882				22	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853209-51	R1 hook, single straight hook, 3.14" length X 0.236" dia.	6410280320981				22	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853210-51	R1 hook, single straight hook, 3.93" length X 0.157" diam	6410280321087				18	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853211-51	R1 Hook 3.93" L x .236 dia. (Pack of 5)	6410280321186				22	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853212-51	R1 hook, single straight hook, 5.90" length X 0.157" diam	6410280321285				9	No	Yes			0		5	0	Perforated panels	Galvanised steel	

Code	Product	GTIN	Width inches	Depth inches	Height inches	Max load lbs	ESD	Suitable forclean room	RAL code	Color name	Net Weight lbs	Pack aging type	War ranty years	Gross weight lbs	Available for the fol lowing products	Frame mate rial	Avail ability USA
853213-51	R1 Hook 5.90" L x .236 dia. (Pack of 5)	6410280321384				22	No	Yes			1		5	1	Perforated panels	Galvanised steel	
853214-51	R1 hook, single straight hook, 7.87" length X 0.157" diam	6410280321483				4	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853215-51	R1 Hook 7.87" L x .236 dia. (Pack of 5)	6410280321582				13	No	Yes			1		5	1	Perforated panels	Galvanised steel	
853216-51	R1 hook, single straight hook, 11.81" length X 0.236" dia	6410280321681				7	No	Yes			1		5	1	Perforated panels	Galvanised steel	
853217-51	R1 Hook 11.81" L x .315 dia. (Pack of 5)	6410280321780				18	No	Yes			2		5	2	Perforated panels	Galvanised steel	
853218-51	R2 Hook 1.29" L x .118" Dia. X .66" gap (5 Pack)	6410280321889				22	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853219-51	R2 hook, 1.69"L X 0.157" dia X 0.98W, pack of 5	6416763097708				22	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853220-51	R2 Hook 1.69" L x .157" Dia. X 1.57" gap (5 Pack)	6410280322084				22	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853221-51	R2 Hook 3.93" L x .236" Dia. X .98" gap (5 Pack)	6416763097715				22	No	Yes			1		5	1	Perforated panels	Galvanised steel	

Code	Product	GTIN	Width inches	Depth inches	Height inches	Max load lbs	ESD	Suitable forclean room	RAL code	Color name	Net Weight lbs	Pack aging type	War ranty years	Gross weight lbs	Available for the fol lowing products	Frame mate rial	Avail ability USA
853222-51	R2 hook, fork hook, 5.90" length X 0.157" diameter X 0.59	6410280322282				13	No	Yes			1		5	1	Perforated panels	Galvanised steel	
853223-51	R2 Hook 5.90" L x .236" Dia. X .98" gap (5 Pack)	6410280322381				22	No	Yes			1		5	1	Perforated panels	Galvanised steel	
853224-51	R2 Hook 7.87" L x .236" Dia. X .98" gap (5 Pack)	6410280322480				22	No	Yes			1		5	1	Perforated panels	Galvanised steel	
853225-51	R3 Hook .39" L x .236" dia. (Pack of 5)					22	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853226-51	R3 Hook 1.96" L x .236" dia. (Pack of 5)	6416763097722				22	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853227-51	R10 Hook 1.10" L x .354" width (Pack of 5)	6410280322787				22	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853228-51	R10 Hook 1.29" L x .669" width (Pack of 5)	6410280322886				22	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853229-51	R13 Hook 6.18" L x .118" dia. (Pack of 5)	6410280322985				2	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853231-51	R19 Hook .511" dia. (Pack of 5)	6410280323180				11	No	Yes			0		5	0	Perforated panels	Galvanised steel	

Code	Product	GTIN	Width inches	Depth inches	Height inches	Max load lbs	ESD	Suitable forclean room	RAL code	Color name	Net Weight lbs	Pack aging type	War ranty years	Gross weight lbs	Available for the fol lowing products	Frame mate rial	Avail ability USA
853232-51	R19 Hook .748" dia. (Pack of 5)	6410280323289				11	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853233-51	R19 Hook .866" dia. (Pack of 5)	6416763097739				11	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853234-51	R29 Hook 1.57" L (Pack of 5)	6410280323487				11	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853235-51	R29 Hook 2.36" L (Pack of 5)	6416763090488				11	No	Yes			1		5	1	Perforated panels	Galvanised steel	
853236-51	R29 Hook 3.14" L (Pack of 5)	6410280323685				22	No	Yes			1		5	1	Perforated panels	Galvanised steel	
853237-51	R30 Hook 1.37" L x .157" dia. (Pack of 5)	6410280323784				22	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853238-51	R30 Hook 3.34" L x .236" dia. (Pack of 5)	6410280323883				22	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853239-51	R35 Hook .669 L x 1.37" gap (Pack of 5)	6410280323982				11	No	Yes			0		5	0	Perforated panels	Galvanised steel	
853240-51	R35 Hook .669 L x 2.16" gap (Pack of 5)	6410280324088				11	No	Yes			0		5	0	Perforated panels	Galvanised steel	

Code	Product	GTIN	Width inches	Depth inches	Height inches	Max load lbs	ESD	Suitable forclean room	RAL code	Color name	Net Weight lbs	Pack aging type	War ranty years	Gross weight lbs	Available for the fol lowing products	Frame mate rial	Avail ability USA
853241-51	R1 Hook 1.96" L x .236 dia. (Pack of 5)	6416763097746				22	No	Yes			0		5	0	Perforated panels	Galvanised steel	
854040-49	Folder compartment,light grey	6416763073658	18	4	9	9	Yes	Yes	RAL7035	Light grey	4		5	4	Perforated panels	Epoxy powder-coated steel	
854041-49	Utility box, light grey	6416763073641	16	6	4	9	Yes	Yes	RAL7035	Light grey	3		5	3	Perforated panels, Treston Tower storage and workstation unit	Epoxy powder-coated steel	
854042-49	Box holder, light grey,	6416763073634	18	6	2	11	Yes	Yes	RAL7035	Light grey	2		5	2	Perforated panels	Epoxy powder-coated steel	
854043-49	Paper roll holder	6416763073375	12			11	Yes	Yes	RAL7035	Light grey	1		5	1	Perforated panels, Treston Tower storage and workstation unit	Epoxy powder-coated steel	
855001-51	Hook Set 1	6410280500185				0	No	Yes			1		10	1	Perforated panels	Galvanised steel	
855002-51	Hook Set 2,	6410280500284				0	No	Yes			4		10	4	Perforated panels	Galvanised steel	
855003-51	Hook Set 3,	6410280500383				0	No	Yes			6		10	6	Perforated panels, Treston Tower storage and workstation unit	Galvanised steel	
855004-51	Hook Set 4,	6410280500482				0	No	Yes			8		10	9	Perforated panels	Galvanised steel	

Code	Product	GTIN	Width inches	Depth inches	Height inches	Max load lbs	ESD	Suitable forclean room	RAL code	Color name	Net Weight lbs	Pack aging type	War ranty years	Gross weight lbs	Available for the fol lowing products	Frame mate rial	Avail ability USA
855005-51	Hook Set 5,	6410280500581				0	No	Yes			9		10	10	Perforated panels	Galvanised steel	
890535-51	Bracket, Plastic storage cabinet, perforated panel	6416763092529	11	0	2	0	No	Yes			1		10	1		Galvanised steel	
890715-49	LCD monitor holder for perforated panel	6416763084708	5	1	6	22	Yes		RAL7035	Light grey	1		10	1	Treston Electric Desk TED, Perforated panels, Industrial screens, Treston Tower storage and workstation unit	Epoxy powder-coated steel	